ID#: IXDOO 80 63661

NPANY: Lufkin Creosoring

Permit

DATE	ITEM Permit	SECTION
Aug 18, 1980	Notification of Hazardous waste activity: Notified as a senerator of Kool + 4051 and Toxic	wotification
Jug 18, 1982	TOWR Inspection	Instaction
Sept. 29, 1982	TOWR interossice memo - the inspection and violutions	Insp.
Dec. 10, 1982	TOWR Investigation Report	insp.
Jan 10, 1983	Telephone Memo (TAWA) Questions about enforcement action	Co/1.
Jan 18, 1983	TOWR Interoffice memo and Enforcement Notice	Enf,
Feb. 9,1983	town interoffice memo about EN.	Enf.
March 15, 1983	TOWR LETTER TO Lutkin to give results on the meeting in Feb. 2.	Corr.
May 2,1183	TRUR interoffice memo about sample analysis on Infkin	insp.
may 25, 1983	TOWA Telephone memo to Infinin to discuss meeting on June 28	COII.
June 7, 1983	FOUR LETTER to Infilin To confirm June 29th meeting.	Co 11.
July 13,1183	Conference record on meeting with bufkin and the document bufkin bubmitted	C011.
dwg 28, 1983	Thur letter rolutkin telling them they are inviolution and have 60 days to comply. (Till Sapt. 30, 1983)	Enf,
NOV. 18, 1113	TOWR Letter to Infkin Saying they haven't rec. the closure plan or any other documentation required by the enfilteter.	C011.
March 19,1584	D+B Fin Report	Fin.
March 25,1584	IEPA Record of Communication with IDWR. Notifying them of the CO Sent our march 30,1984 by EPA TO Luthin	C011.
March 30, 1984	EPA Compliance order sent to Lafkin	Ent.

## File. III A.

Page 1 of 6 of Group I

# DUPLICATE DI

TEXAS DEPARTMENT OF WATER RESOURCES

Industrial Solid Waste Disposal Compliance Monitoring Inspection

FIELD OPERATIONS

Inspection Cover Sheet (see reverse side for checklist use and general instructions)

Compliant	Texas Permit/Reg. No. 31832
Noncompliant $X$ (explain by separate memo)	EPA I.D. No. TXD008063661
Site Operator Information:	•
Name of Company Lufkin Creosoting	<del></del>
Company's Address P.O. Box 1207	
Lufkin, Tx 75901	
	in on Hwy 69
	County Angelina
Type of Industry Crossoting ( Pressur	
Indicate below Classes of Waste managed (Hazard	
Generator H,I Transporter	Small Quantity Generator Yes WA No
	age ; 90 Day Exemption Yes NA No
Site Information (T.S.D. facilities only)	
1. Are facilities located outside the 100 ye	ear Yes // No
flood plain area?	I de il he in i
2. Describe land use within one mile <u>Unde</u>	eveloped, Commercial, Agricultural
Inspection Information:	
1. Inspectors Name & Title Tim Change	Phone No. 483-297
2. Inspection Date: \$18/82	
3. Inspection Participants: Danny Vines	Phone No. 634-5075
Approved: Velence WM Signed:	: Sim Crany
District Supervisor	Inspector
Date: _	10/4/82
TDWR-(Changed 6/3/82, 90 Day Exemption Status a	added)

			HEGELAED
v.	and the second s		
	, N	on-Major	OCT G7 '82
•	Compliance Monit	oring Inspection Report	
		Facilities Checklist	EUFORCEMENT AND FIELD OPERATIONS
		Control of the contro	•
0 11	*335.10(b) & 33	5.64 (a), (b), & (c)	
Section A - Manifest (Ru	le 156.22.01.110b)	** CENTRAL CONTROL CON	,
1. Is the generator red	uired to use the T	DWR manifest?	Yes 🖊 No
2. Is the manifest prop	erly completed?	not observed .	YesNo
Note: If generator is a		see comments	•
the only protection	small quantity ge	nerator, manifesting is	7
the only pretrans	sport requirement.		
Continue D: 11 2	Sept.	*335.6(a-f) & 335	.62
Section B - Hazardous Wa	ste Determination	(Rule 156.22.01.106 (a-f	<u>&amp;</u> (
156.22.06.002)			:
1. On a copy of the reg	istration, note ge	nerated solid waste(s)	listed
in Part 261 Subpart	D with L (listed)	and solid waste(s) that	
exhibit hazardous ch	aracteristics (cor:	rosivity, ignitability,	
reactivity, EP toxic	ity) with C (charac	cteristic). See AL	achinen+ A
2. If notification or d	lisposition of waste	e stream changes is not	
current, explain in	comments sheet. 5	ee comments	
	***	*335.6569	
Section C - Pretransport	Requirements (Rule		w.,
<ol> <li>Does generator appea</li> </ol>	r to have standard	procedures for	
packaging, labeling	and marking of haz		/A Yes No
2. Accumulation Time -	(May accumulate has	zardous wasta for un	// YesNo
to 90 days without a	permit provided)	sardous waste for up	
a. If containers ar	e used to temporari	ily store weste	<b>\</b>
before transport	, is each container	coloarly dated?	}
Also, fill out r	est of No. 2 (Accum	mulation Time	
b. Are containers 1	abeled "Hazardous V	dade of this between	Yes No
accumulated on-s	ita?	waste white being	
======================================	± 00.	-	Vac Ma

NOTE:

at least weekly?

facility's property line?

If tanks used, fill out checklist for tanks.

located at 15 meters (50 feet) from the

If generator accumulates waste on-site for less than 90 days, (has no TSD facilities) complete only Section H, J and K after Section E of this Checklist. A small quantity generator is exempt from these requirements, including Section C above, and all others after Section E.

Are containers inspteced for leakage or corrosion

Are containers holding ignitable or reactive waste

\*335.9, 335.70 - 72

Section D - Recordkeeping and Reports (Rule 156.22.01.109) 156.22.06.010-.012)

Does generator keep the required records and reports for 3 years?

Yes

No

#### TDWR-

Page 3 of 6 (\*Changed 2/5/82, Texas Administrative Code Section references added) \*\* (indicates checklist questions which should be noted or completed at the time of an on-site inspection.)

g the gamenal Parishing of the		
Section E - General Facility Standards		
1. Has proof of deed recordation of on-site disposal		
facilities been provided to the agency?	Yes	_ No_/
2. Have there been any spills? none observed	Yes	No_/
3. Have all spills been reported?	Yes	_ NoN/A
NOTE: Attach a sketch of facilities. For all nonhazardous		•
facilities do not complete the remainder of this		
Checklist. Use specific type facility checklists		
(from Group II form) and complete one checklist		
for each disposal facility.	•	
*335.114115 Section F - Waste Analysis - Rule 156.22.08.004 and .08.005		
1. Does facility have an adequate waste analysis plan?	Yes	No /
2. Does the facility provide adequate, security?	Yes	No V
3. Does the facility have a sign with the legend		
"Danger-Unauthorized Personnel Keep Out? (unless exempt)?	Yes	No V
*335.116		
Section G - General Inspection Requirements - Rule 156.22.08.006		$\epsilon = \epsilon$
1. Does facility have an adequate written inspection		
schedule (and plan)?	Yes	No V
Does the owner/operator maintain an inspection log?	Yes	No /
*335.117	<del></del>	
Section H - Personnel Training - Rule 156.11.08.007		e man in
1. Does the owner/operator maintain adequate Personnel		
Training Records at the facility?	Yes	No /
*335.118 Appendix IV of 335.48,335.242	<del>,</del>	
Section I - Requirements for Ignitable, Reactive or Incompatible		
Waste - Rule 156.22.08.008, Appendix IV of .05., and .15.002		
1. Is the owner/operator familiar with proper separation and		
safeguards needed to prevent ignition or reaction of		
ignitable or reactive waste?	Yes	_ No/
2. Inspect containers:		
a. Has owner transferred waste from all containers	•	,
leaking, bulging, or corroding?	Yes	No NA
*335.131137 Section J - Preparedness and Prevention - Rule 156.22.09.001007		
1. Does the owner/operator have phone numbers of and agreements		
with police, fire departments, emergency reponse teams,		
emergency response contractors and equipment suppliers,		
as appropriate?	Yes	No V
a. Are they readily available to the emergency		_ · · · · <u></u>
coordinator?	Yes	No V
*335.151157 Section K - Contingency Plan & Emergency Procedures -		•
Rule 156.22.10.001007		
1. Is an adequate contingency plan maintained at the		
facility?	Yes	No /

TDWK .

Page 4 of 6 (\* Changed 2/5/82, Texas Administrative Code Section references added) \*\* See note, Page 3

## Section L - Manifest System, Recordkeeping and Reporting - Rule 335.171-.177 and 335.211-.220

1.	If facility receives waste from off-site, does the owner/ operator comply with manifest requirements?	Yes	NO/A
2.	Does the owner/operator keep an adequate written operating record(s) at the facility?	Yes	No V
3.	Does the owner/operator maintain an adequate closure plan for all facilities (See Note 2 page 6)?	Yes	No 1/
4.	Does the owner/operator maintain an adequate post closure plan for disposal facilities (See Note 2 page 6)?	Yes	No <u>V</u>

#### Section M - Financial Assurance Rule 335.231-.233 and .235

***1.	Does the owner/operator have financial assurance for the
	most recent closure and post closure cost estimates for
	all facilities (by July 6, 1982 - 40 CFR Part 265.140,
	.143 and .145) (See Note 3 page 6)?

Yes \_\_\_ No \_\_\_ N/A \_\_\_

- \*\*\*2. Does the owner/operator have liability coverage or preparations made for coverage (40 CFR 265.147) as follows:
  - a. Sudden accidental release coverage (by July 15, 1982)?

Yes \_\_ No // N/A \_\_

b. Non-sudden accidental occurrence for certain storage, treatment and disposal facilities (due by Jan. 16, \_\_\_\_\_)? 83, 84, 85 Yes \_\_ No \_\_ N/A \_\_

TDWR-

Page 5 of 6

\*\*\*(Changed 5/24/82, Note 3 added and Questions 1 and 2)

- NOTE: 1. If the answers to any of the preceeding questions is no, if it is not explained in the attached copy of the corrective action letter sent to the facility, explain it in the comments sheet.
  - 2. Additional Closure and Post Closure provisions in TDWR Rules are also applicable to the various facilities in addition to Closure 335.211-.216 and Post Closure 335.217-.220 as follows: Tanks 335.265; Surface Impoundments 335.286; Land Treatment 335.327; Landfills 335.344; Incinerators 335.365; Thermal Processing 335.385; Chemical Physical and Biological Processing 335.405. Closure and Post Closure cost estimates for facilities are required by TAC 335.231-.233. Financial assurances for T.S.D. facilities are also required by TAC 335.235 (see also 40 CFR Part 265).
  - \*\*\*3. Closure and post closure cost estimates should be updated annually using the annual Implicit Price Deflator for Gross National Product 335.232(c).

Checklist facility
(attach, to correct checkli

Date_	8/19	82	
RECEIVE Reg. /F	:: Permi	t No.	31833

#### INDUSTRIAL SOLID WASTE

Compliance Monitoring Inspection Report

		COMMENTS SH	EET	ENFORCED A	
SECTION: A		Par	agraph:	2	<i>,</i>
No shipment	a of h			had	occurred
as of the	inspection	- date	·		· · · · · · · · · · · · · · · · · · ·
**************************************		Appropriate to the second seco	·		,
		·			
SECTION: \$		Par	agraph:	<u>ಇ</u>	
There is a	now mate	rial sto	race tan	e that I	as boen
out of use f					
bottoms. The wa	sternter	treatment	system	and a sure	U storage
tank are used	for proces	sing has	ardous w	te. There	is a fond
secon used for	storaga an	d proces	seng of h	azardous	waste None
these are in	entioned	on of	the	companie	a registration
SECTION:		Para	graph:		
			······		· · · · · · · · · · · · · · · · · · ·
		\$		·	
		3	<del></del>		
	pall Yellow				
	ti-internation	· · · · · · · · · · · · · · · · · · ·			
		+			
		Pintonia -	,		
	gy and core with the mills.			·. ·	
	www.	e e e e e e e e e e e e e e e e e e e	•		

#### INDUSTRIAL SOLID WASTE

OCT 07 '82

Compliance Monitoring Inspection Reports (Class of Waste (

Section	A - General	•	•	•
1. Are	tanks presently used to	treat or store waste?		Yes No_
a	If no, do not complete r	est of form.		
**b.		escribe type of tank and ind, or on-ground in comments		Yes No
**c.	Is there evidence that i in the tank?	ncompatible wastes have bee	n placed	Yes No
	(1) If yes, explain in	comments sheet.		
**d.	Is there evidence of any tank(s)?	ruptures, leaks or corrosi	on of the	YesNo
	(1) If yes, explain in	comments sheet.	·	
2. Are	there any uncovered tank	s?		Yes / No
. a.	If no, do not complete -	e. •		
**b.	If yes, do they have 2 f	eet (60 cm) freeboard?		Yes_/_No
	or		1	·
**c.	A containment structure?	(e.g. dike or trench)		Yes No
	or			
**d.	A drainage control syste	<b>m</b> ;}		Yes No
**e.	A diversion structure? ( (NOTE: The structure in a capacity that equals o of the top 2 feet (60 cm	or exceeds the volume		Yes No
	any of the tanks continu			Yes_// No
**a.	If yes, is it equipped w inflow (e.g. waste feed	and the second s	\$ 1 × 2	
	a stand-by tank)?			Yes No
Section	B - Waste Analysis	· ·		
1. Is t	the tank used to store on	e waste exclusively?		YesNo
a.	If no, what are the diff	erent wastes stored in the	tank?	
	· · · · · · · · · · · · · · · · · · ·			
<del></del>			<del></del>	

TDWR

Page 9 of 20 of Group II

\*(Changed 2/5/82, Texas Administrative Code Section references added)

\*\* Note checklist questions to be noted or completed during on-site inspection

•	b.	Are waste analyses and trial treatment or storage tests done on these different wastes?	MA	Yes	No
	-	(1) If no, does he have written, documented information on similar storage or treatment of similar wastes?	NA	Yes	No
	C.	Are there records available of these waste analyses in the operating record?	NA	Yes	No
Sec	tion	C - Inspections	*		
1.		the records indicate the owner/operator inspects, re present, the following at least daily:	•		
	a.	Discharge control equipment (e.g. waste feed cut-off, by pass and/or drainage system)?		Yes	No V
	b.	Monitoring equipment (e.g. pressure and temperature gages)?		Yes	No/
-	c.	Level of waste in each uncovered tank?		Yes	No
2.	Do ins	the records indicate the owner/operator pects the following at least weekly:			· · .
s .*.	a.	Construction materials of tanks for corrosion or leaks?		Yes	No V
	b.	Construction materials of and area surrounding discharge confinement structures for erosion or signs of leakage?		Yes	No V
3.		here a written inspection schedule e 156.22.08.006)? *335.116		Yes	No V
	a.	If yes, is the schedule kept at the site?		Yes	No 1/
	b.	If no for 3 or 3a, explain in the comments sheet.			1 2
4.	Is t	here evidence of ignitable wastes placed in tanks?		Yes	No
	a.	If yes, do records indicate that they are treated, rendered, or mixed before or immediately after placement in the tank so it no longer meets the			+ . -
		definition of ignitable? or	NA	Yes	No
**	b.	Is the waste protected from sources of ignition?	NA	Yes	No
		<ol> <li>If yes, use comments sheet to describe separation and confinement procedures.</li> </ol>			. ,
	+ - <i>‡</i>	(2) If no, use comments sheet to describe sources of ignition. or			u.e.
	c.	Is the tank used solely for emergencies?		Yes	No /
	10	of 20 of Group II			
* (Ch **Se	ange e No	d 2/5/82, Texas Administrative Section Code referenced ate on Page 9	added)		

5.	Is	there evidence time ctive wastes placed	•		,
		tanks?		Yes	No /
	_	If yes, do records indicate that they are treated			
*	a.	•	÷		
		rendered, or mixed before or immediately after			
		placement in the tank so it no longer meets the	11		
		definition of reactive? or	MA	·Yes	No
			1		
*	*b.	Is the waste protected from sources of reaction?	NA	Yes	_ No
	~	and the wards produced a real production of the same o	10/11	· · · · · ·	
		(1) If yes, use comments sheet to describe separation			
		and confinement procedures.			
			•		
		(2) If no, use comments sheet to describe sources of			•
		reaction. or			
		reaction. Of			
				Vac	No. 1
	c.	Is the tank used solely for emergencies?		Yes	_ No_ <u>/</u> _
		**************************************			
6.	Do	the records indicate that incompatible wastes			
		e placed in the same tank?		Yes	No V
	•				
		The same and the demonstration of the demonstration			
	a.	If yes, explain in the comments sheet.			
7.	Ιf	a waste is to be placed in a tank that previously			*
	he.	ld an incompatible waste do operating records			
		licate that the tank was washed?	NIA	Yes	No
					-··
	-5	If yes, describe washing procedures.			
	a.	If yes, describe washing procedures.	<del></del>		
		·	<u> </u>		
. "					
	b.	Describe how it is possible for incompatible	,		
		waste to be placed in the same tank.	A		
٠.					
					,
					,
NOT	E:	If the answer to Section A 2b-e and 3a, Section P 1b(1)	-		-
		and 1c, and Section C la-c, 2a, and 2b was no, explain			•
		•			
		in comments sheet.			
8.		scribe tank(s) site and indicate plat map location(s) an			s) [5]
	Al:	so describe size and capacity of each tank:	Attack	men	- レ
					•
			<del></del>		,
	•				
					•

<sup>\*(</sup>Changed 2/5/82 Texas Administrative Code Section references added)

<sup>\*\*</sup> See Note Page 9

001.00

ENFORCED STEELERS AND

Checklist Tinks
(attach, to correct checklist

Date 8/18/82

INDUSTRIAL SOLID WASTE

Reg./Permit No. 31832

## Compliance Monitoring Inspection Report

### COMMENTS SHEET

SECTION: Paragraph: b.	
The Overtank is an open top concrete tank	
which is above grade. It is the wastewater	-
treatment system and it is equipped with	
Lotton skimmers, surface skimmers, and ar	
acrator Another tank is a small (don't 100 cpl) surface concred to	uk.
The last tank is a closed new material storage tank if hoyardoustan	h bö
SECTION: Paragraph: 3.b.	
There is no written inspection schedule. This	
to a violation of Rule Nos. 335,116, 335,264,	
and 335. 285 of the Tops Administrative Cole Audustrial	-
Sold Waste Rules	
	÷
SECTION: Paragraph: 1. \(\xi\)2.	
No inspections are See above.	
There are no inspections conducted	-
This is a violation of the rules	
mentioned above,	

#### INDUSTRIAL SOLID WASTE

OCT 07 '82

# Compliance Monitoring Inspection Report Surface Impoundments Checklist (Rule 156.22.17.001-008) \*335.281-.288

1.	Are surface impoundments presently used to treat or store waste?	Yes $V$ No
	a. If yes, inspect the impoundments.	
**2.	Does the impoundment appear to maintain at least 2 feet (60 cm) of freeboard?	Yes / No
**3.	Is there evidence of overtopping of the dike?	Yes 🌠 No 🗸
	a. If yes or if less than 2 feet, explain in comments sheet.	
4.	Containment system for dyked or dammed impoundments (Rule 156.22.17.003). *335.283	
. *	*a. Does the earthen dike have a protective cover	
	(e.g. grass, shale, rock) to minimize wind and	
	water erosion?	Yes V No
	b. If no, explain in comments sheet.	
5.	what wastes are treated or stored in the impoundment? The wastervaler treatment pystem in the sedement studies from Measter was preserving	industry (KOO)
6.	Are waste analyses and trial tests conducted	1
	on these wastes (chemical processing of a different hazardous waste or method only)?	YesNo
* .	a. If not, does the owner/operator have written	
-	documented information on similar treatment	
	of similar wastes?	Yes No V
_		
7.	Is this information retained in the operating record?	YesNo
8.	Is the impoundment inspected daily to check	
	freeboard level?	YesNo
Ċ	To the impoundment dikes and we-station	
9.	Is the impoundment, dikes and vegetation surrounding the dike inspected weekly to	
	detect leaks, deterioration or failures?	Yes 'No//
	ACTION TOWNS, ACCOUNTALACTOR OF THITTIES:	7.69 NO 17

TDWR-

Page 3 of 20 of Group II

\*(Changed 2/5/82, Texas Administrative Code Section references added)

\*\*See Note on Page 1

	**a. Is there any evidence of seepage?	YesNo
	(1) If Yes, explain in comments sheet.	• .
10.	Does the impoundment have a liner?	YesNo/
	a. If Yes, what type?	•
	b. If Yes, does it have a leachate collection and removal system?	Yes No V
**11.	Is there evidence of ignitable or reactive wastes placed in the impoundment?	Yes No
. •	a. If Yes, explain in comments sheet.  or	
. :	b. Is the impoundment used solely for emergencies?	YesNo
**12.	Is there evidence of incompatible wastes placed in the impoundment?	YesNo/
13.	Are monitor wells required for this site? (Refer to Rule 156.22.12.001005 - Ground Water Monitoring) *335.191195	YesNo
	a. Has owner/operator installed, operated and maintained a ground water monitoring system (unless waived) prior to 11/19/81?	YesNo
	NOTE 1: Attach Ground Water Monitoring Report if answer to NOTE 2: If the answer is No for Nos. 6a, 7, 9, 9 and No. 13 explain in comments sheet. If the answer to No. 12 in comments sheet.	after 11/19/81,
14.	Describe impoundment(s) site and indicate plat map, location Also describe each impoundment's dimensions and capacity (ac	(s) and designation(s) re-feet):

Page 4 of 20 of Group II
\*(Changed2/5/82 Texas Administrative Code Section references added)

<sup>\*\*</sup>See Note on Page 1

RECEIVED

TEXAS DEPARTMENT OF WATER RESOURCES OCT 07 183-10-80 NOTICE OF REGISTRATION

INDUSTRIAL SOLID WASTE SEVERATION/OISPOSALENFORCEMENT AND FIELD OPERATIONS

THIS IS NOT A PERMIT AND DOES NOT CONSTITUTE AUTHORIZATION OF ANY DISPOSAL FACILITIES LISTED BELOW. REQUIREMENTS FOR SOLID WASTE MANAGEMENT ARE PROVIDED BY CHAPTER 22, RULES OF THE TEXAS DEPARTMENT OF WATER RESOURCES.

DATE OF NOTICE: 10-01-80

REGISTRATION NUMBER: 31832

THIS NUMBER IS TO PROVIDE ACCESS TO STORED INFORMATION PERTAINING TO YOUR OPERATION. PLEASE REFER TO THIS NUMBER IN ANY CORRESPONDENCE OR REPORTS.

REGISTRATION DATE: 13-01-80

COMPANY NAME: LUFKIN CREDSDIING CO. INC.

MAILING ADDRESS: POB 1207

LUFKIN, TEXAS 75901
SENERATING SITE LOCATION: 1411 EAST LUFKIN AVE. LUFKIN, TEXAS
75901

PERSON IN CHARGE: DANNY VINES PHONE: (713) 534-5075 NUMBER OF EMPLOYEES: 8-24 TOWN DISTRICT: 05

1. WASTE GENERATED:

WASTES | CLASS CODE DISPOSITION

DI PLANT REFUSE, BENERAL MISC. II 27975D OFFSITE

32 CREDSOTE TANA BOTTOMS ( L ) I 151230 OFFSITE

II. SHIPPING/REPORTING: UNDER RULE 156.22.01.012030 OF THE TOWR, ISSUMDE SHIPPING-CONTROL TICKETS AND MONTHLY REPORTING ARE REQUIRED FOR OFF-SITE DISPOSAL OF THE FOLLOWING CLASS I WASTES LISTED IN PART I. THE SIGNED GREEN COPY OF THE SHIPPING-CONTROL TICKET MAY BE USED IN LIEU OF SUBMITTING MONTHLY SHIPMENT SUMMARY REPORTS. THE USE OF SHIPPING CONTROL TICKETS SHOULD BEGIN WITHIN THIRTY (30) DAYS AFTER RECEIPT OF THIS NOTICE FOR THE FOLLOWING WASTES:

D2 151230 CREDSOTE TANK BOTTOMS

Checklist Surface fund (attach, to correct checklis

Date 8/18/82

INDUSTRIAL SOLID WASTE

Reg./Permit No. 3/83

Compliance Monitoring Inspection Report

OCT 0 / 182

	COMMENTS SHEET	ENFORCES FIELD OPERATED
SECTION:	Paragraph: 6,7, tor is in violation  Solid Wasta Rule	8, 9
The owner / yell	tor is in violatio	m A
TAC Industrie	Solid Waste Rule	2
·· <u>·</u>		
SECTION:	Paragraph:	
	1	
		<del> </del>
SECTION:	Paragraph:	
**************************************		

Lufkin Creosoting Co., Inc. Oxidation Pond. Wastewater Treatment system Final Seperator OCT 21 1982

(the other tank is at their original location at 1411 E. Lufkin  $\Delta v_\ell$ 

Last attached 9-29-82

SWGT: NO

	•	
7.	3-15-83	Letter (Robert & Flemma to Danne
		Letter (Robert & Fleming to Danny Vines) Re: Registration No 31832
8.	5-2-83	TDWR Memo (Tim Change to
		TDWR Memo (Tim Chaney to Gary Schroeder) Re Lufkin Creosoting Ind. Solid Waste Sample Analysis Result
		Ind. Solid Waste Sample Analysis Result
9.	5-25-83	Telephone Hemo re meeting to
		Telephone Memo re meeting to discuss RCCA Violations
10.	6-7-83	Letter (Robert G Floming to Danny
		Letter (Robert G Heming to Danny Vines)
	7-28-83	Letter WT Sample analysis + exhibits
		Letter W/ Sample analysis + exhibits (Robert G. Fleming to Danny Vines)
12.	11-28-83	Letter (Jimmy Alan Hall, Atty, TDW, to Danny Vines)
		to Danny Uines)
· ·		

Lufkin Creasotine	a Lufkin TX
VI-408-H	TXD 008063661
<i>F</i>	the Index
1. 10-4-82	TDWR Industrial Solid Weste
	Disposal Compliance Monitoring
<u> </u>	Inspection Report
2. 9-29-82	TDWR Memo (Tim Changy to
	Gary Schroeder) Subject: Luftin
	Creosoting Co., Inc., Reg. No 31832
	Annual Solid Waste Compliance
	Inspection
3. 12-10-82	Investigation Report - Memo - re:
	Enforcement Action - Lufkin Crossoling
	Co., Inc. (Harry D. Boudreaux to
	Gary Schmoder
4. 1-10-83	TOWR Telephone Hemo (To: Tom
	Chancy from: Karen Macks)
5. 1-18-83	TDUR Memo (To: Enf. Coordinators
	from: Karen Macko) Re: Enforcement
	From: Karen Macko) Re: Enforcement Notice - Lufkin Creasating Co
	J
6. 2-9-83	Memo TDWR (Robert G. Fleming
	to Susan Plettman) Re: Request for
	Enf. Action

: 1

	Please print or type	with ELITE type	TOWN TOWN			-				GS	A No	. 0246	S-EPA-	от			
	SEPA	NOTIFIC		ONMENTA SF HAZ					<u>n</u> 2	INSTRU i label, at							
•	INSTALLA- TION'S EPA I.D. NO.	TXDOOSOE	3661		÷	or-~\0 n ∩	T		į	idabel, affix it in the space at left. If any of the information on the label is incorrect, draw all through it and supply the correct information the appropriate section below. If the labe					line tion		
	I. STALLATION	LUE			<i>¥</i> <del></del>	BLM	Ч		-	complet below b label, co	e and lank.	f corre	ect, lea u did r	ave Ite	ms I, eive a	II, and preprin	III
	TION II. MAILING ADDRESS			TT2; 16.		3		<b>74.</b> 1	•	single si treated, porter's to the I	ite w store princ INSTI	here led and cipal p RUCT	azardo d/or di place o IONS	ous waisposed for busing FOR	aste is I of, c ness. P FILINO	genera ir a tr lease r NOT	ted, ans- efer IFI-
A .	LOCATION III OF INSTAL- LATION			-		<b>.</b>	<b>Ephasa</b>	7501		CATION informa (Section Recover	tion (	reques 7 of ti	ted he	rein is	requi	ed by	law
HON	FOR OFFICIAL	USE UNLY				0.00											
ADETA	Č				сомм	ENTS											
	IS 16 INSTALLATI	ON'S EPA I.D. N	UMBER	APPRO	OVED E	ATE RI	CEIVED	1		***************************************		. :			35		
	F T X DOO	80636	613	1	5	800				0.0	32	21	7			***	
			pany, I	inc.							e e		67				
I	II. INSTALLATIO	ON MAILING A	ADDRESS					J.									
	5 P. O. Box	1207	STREE	T OR P.O. I	вох							:					
ı		CI	TY OR TO	WN				ST.	ZIP	CODE	]						
	15 16	exas					. 40	41 42	7590	1				Modern C	No articles	>	
ł	III. LOCATION O		200	ROUTE NU	MRFP				Programa								
	5 Hwy, 69 So									48	<del>-</del>						
	<u>c</u> 6 Lufkin, Te	xas cr	TY OR TO	WN .				ST.	7590	1	1		-	•			
-	IV. INSTALLATI	ON CONTACT	2004	and the second				61 42	7.4					NEW SO		e <b>p</b> arie	<b>建</b> 被
	vines, Da	name my, Plant	Superi	E (last, firs Intender	t, & job ti	itle)				7 <b>1</b> 3	ONE	NO. (	492	de & 1	10.)		
	V. OWNERSHIP		****	· **********	i green (i)	di Mari				45 46 -	40	49	- 51 2- 1/2	52			S. C.
4			A. NA	ME OF IN	STALLA	TION'S	LEGAL O	WNER			(						m2460
	8 Lufkin Cres 18 16  B. TYPE OF O (enter the appropria	1,1,1911	mpany	Inc.	17485		A COTE A		TV (	1 (V)					55	N arbeiro	Sylvania e
1	(enter the appropria	te letter into box,	V1. I I	PE OF H	<del> </del>		ASIE A	CHIVE		RANSPO							
	F = FEDERAL M = NON-FED	54		ਜ਼ ∏c. TRE	EAT/STO	RE/DIS			ਜ਼ ਹ. ਪ	INDERG					c v 12	,	
ľ	VII. MODE OF TR	RANSPORTAT				ter "X	in the a	pprop	riate b	ox(es))		in the				10.78	
	VIII. FIRST OR S	B. RAIL	<b>43</b>	ATION		D. WA	TER	☐ E. C	THER	(specify)	):						
	Mark "X" in the appr f this is not your firs	opriate box to in	dicate when	ther this is v	your insta EPA T.D.	Number	first notifing the span	ce prov	of naz	ardous wa slow.	<b></b>		·				
	🔼 A. FIRST N	IOTIFICATION		] B. SUBSE	EQUENT		-		te item	(C)	C.	INST	ALLA	TION'	SEPA	I.D. N	<b>D</b> .
I	X. DESCRIPTION	OF HAZARD	OUS WAS	STES											e en		學物
P	lease go to the revers	e of this form an	d provide t	he requeste	d informa	tion.											
	EPA Form 8700-12 (	6-80)											CON	TINU	E ON F	EVER	SF

İ	,,,
ĺ	σ
١	Ξ.
ı	×
ĺ	≘
ŀ	Ξ

I.D. - FOR OFFICIAL USE ONLY

		w/1xD000806366/21							
IX. DESCRIPTION OF HAZARDOUS WASTES (con		O CFR Part 261,31 for each listed hazardous							
waste from non-specific sources your installation handles	Use additional sheets if necessary.	<b></b>							
	3								
	23 25 9 10	23 - 26 23 26							
8.3.5									
B. HAZARDOUS WASTES FROM SPECIFIC SOURCES. E.	26 23 + 25	Part 261.32 for each listed hazardous waste from							
specific industrial sources your installation handles. Use a	dditional sheets if necessary								
K 0 01 23 26 23 28 33	25) 26 25) 26 25) 26 25) 25) 26 25) 25) 25) 25) 25) 25) 25) 25) 25) 25)	23 26 26 23 26 24 24 24 24 24 24 24 24 24 24 24 24 24							
	21 22 1 22 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
23 26 33 4 3 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22 2 1 2 2 3 2 3 2 3	29 29 30							
25 26									
C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUSW	26) 23 26 26 26 26 26 26 26 26 26 26 26 26 26	om 40 CFR Part 261.33 for each chemical sub							
stance your installation handles which may be a hazardou	waste. Use additional sheets in necessary	36 36							
u   0   5   1	338 T								
[2] 《中文·中文·中文·中文·中文·中文·中文·中文·中文·中文·中文·中文·中文·中	25 26 22 26 39 40	23 26 23 26 42							
	26 23 336 25 46	25 3 3 3 3 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5							
TO LICETED INESCITIOUS WASTES Enter the four-digital	imber from 40 CFR Part 261:34 for each	[23   25     25   26							
Rospitals, medical and research laboratories your installati	on handles. Use additional sheets if neces	567 56 54 54 54 54 54 55 55 55 55 55 55 55 55							
E. CHARACTERISTICS OF NON-LISTED HAZARDOUS	NASTES: Mark "X" in the boxes corresp	onding to the characteristics of non-listed							
hazardous wastes your installation handles. \ (See 40 CFR)	Parts 261.21 — 261.24.)								
☐1 GNITABLE ☐2: COS (D002) (D002)	ROSIVE 3 REACT	Cood)							
X. CERTIFICATION  I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all									
I certify under penalty of law that I have persona attached documents, and that based on my inquir) I believe that the submitted information is true, ac mitting false information, including the possibility o	of those individuals immediately recurate, and complete. I am aware t	esponsible for obtaining the information,							
SIGNATURE	NAME & OFFICIAL TITLE (type or pr	int) DATE SIGNED							
I Janny Vine	Danny Vines, Plant	Superintendent 8/15/80							

EPA Form 8760-12 (6-80) REVERSE

# TEXAS DEPARTMENT OF WATER RESOURCES NOTICE OF REGISTRATION INDUSTRIAL SOLID WASTE GENERATION/DISPOSAL

THIS IS NOT A PERMIT AND DOES NOT CONSTITUTE AUTHORIZATION OF ANY DISPOSAL FACILITIES LISTED BELOW. REQUIREMENTS FOR SOLID WASTE MANAGEMENT ARE PROVIDED BY CHAPTER 22. RULES OF THE TEXAS DEPARTMENT OF MATER RESOURCES.

DATE OF NOTICE: 10-01-80

REGISTRATION NUMBER: 31832

THIS NUMBER IS TO PROVIDE ACCESS TO STORED INFORMATION PERTAINING TO YOUR OPERATION. PLEASE REFER TO THIS NUMBER IN ANY CORRESPONDENCE OR REPORTS.

REGISTRATION DATE: 10-01-80

COMPANY NAME: LUFKIN CREOSOTING CO. INC.

LUFKIN, TEXAS
75901
GENERATING SITE LOCATION: 1411 EAST LUFKIN AVE. LUFKIN, TEXAS
75901

PERSON IN CHARGE: DANNY VINES PHONE: (713 h 634-5075 NUMBER OF EMPLOYEES: 8-24 TOWN DISTRICT: 05 CHANGE TO 409

I. WASTE GENERATED:

NCITIZCASIC GOO SSASS

DI PLANT REFUSE, GENERAL MISC. II 27976D OFFSITE

OZ CREOSOTE TANK BOTTOMS

I 151230 OFFSITE ADD

OB CREOSOTE PROCESS WATER I 951590 OFFSITE

II. SHIPPING/REPORTING. UNDER RULE 156.22.31.012[B] OF THE TOWR, ISSUANCE DF SHIPPING-CONTROL TICKETS AND MONTHLY REPORTING ARE REQUIRED FOR DFF-SITE DISPOSAL OF THE FOLLOWING CLASS I WASTES LISTED IN PART I. THE SIGNED GREEN COPY OF THE SHIPPING-CONTROL TICKET MAY BE USED IN LIEU OF SUBMITTING MONTHLY SHIPMENT SUMMARY REPORTS. THE USE OF SHIPPING CONTROL TICKETS SHOULD BEGIN WITHIN THIRTY (3D) DAYS AFTER RECEIPT OF THIS NOTICE FOR THE FOLLOWING WASTES:

03 951590 CREOSOTE PROCESS WATER SLUBGE SEDIMENT

REGISTRATION NUMBER: 31832

COMPANY NAME: LUFKIN CREDSOTING CO. INC.

# III. DN-SITE WASTE MANAGEMENT FACILITIES:

- O! DRUM STORAGE AREA
- 02 PROCESS WATER RECYCLING UNIT \*
- 03 MAKE-UP WATER TANK \*

REGISTRAIN! DES NOT CONSIDER THESE FACILITIES TO BE WASLE MANAGEMENT FACILITIES BUT RATHER PRICESS CONTIS

File III

DuPlicate?

5/21/84

LUFKIN CREOSOTING COMPANY

EMERGENCY PROCEDURES MANUAL

PETROMAS INCORPORATED

8237 LOCKHEED

HOUSTON, TEXAS 77061

#### EMERGENCY PROCEDURES MANUAL

#### **IMPLEMENTATION**

This Emergency Procedure Manual is designed to instruct all personnel in what to do when an occurrence renders the facility unsafe or inoperable, or when an accident occurs involving extensive property damage, serious personal injury or death.

For this plan to function effectively, all personnel must be thoroughly familiar with the pertinent details.

The Emergency Coordinator is responsible for implementing the program.

Employees must be thoroughly familiar with the locations and operation of the fire and emergency system, valves, switches and fire extinguishers and with all procedures contained herein. A review must be included in the orientation of new employees.

#### I. EMERGENCY COORDINATOR

At all times, there will be at least one employee either on the facility premises or on call with the responsibility for coordinating all emergency response measures. This emergency coordinator will be thoroughly familiar with all aspects of the facility, the location and characteristics of the waste handled, the location of all records within the facility and the facility layout. In addition, this person will have the authority to commit the resources needed to carry out the contingency plan. Danny Vines is the emergency coordinator for Lufkin Creosoting Company with Larry Perry as alternate. Their phone numbers and addresses are:

Danny Vines 634-2478 (home)

634-5075 (office) Rt. 4, Box 7730 Lufkin, TX 75901

Larry Perry 632-7105 (home)

634-5075 (office) Rt. 3, Box 488 A Lufkin, TX 75901

#### II. EMERGENCY PROCEDURES

- A. Whenever there is an imminent or actual emergency situation, the emergency coordinator (or his designee when the emergency coordinator is on call) will immediately:
  - Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel; and
  - 2. Notify appropriate State or local agencies with designated roles if their help is needed.
- B. Whenever there is a release, fire or explosion, the emergency coordinator will immediately identify the character, exact source, amount and a real extent of any released materials. He may do this by observation or review of facility records or if necessary, by chemical analysis.

Concurrently, the emergency coordinator will assess possible hazards to human health or the

environment that may result from release, fire or explosion. This assessment will consider both direct and indirect effects of the release, fire or explosion (e.g., effects of any hazardous surface water run-offs from water or chemical agents used to control fire and heat-induced explosions).

- C. If the emergency coordinator determines that the facility has had a release, fire, or explosion which could threaten human health, or the environment, outside the facility, he will report his findings as follows:
  - 1. If his assessment indicates that evacuation of local areas may be advisable, he will immediately notify appropriate local authorities. He will be available to help appropriate officials decide whether local areas should be evacuated; and
  - 2. He will immediately notify the Texas Department of Water Resources as set out in Section .007 of the State of Texas Oil

and Hazardous Substances Spill Contingency

Plan, revised April, 1978 (Attachment 1).

The report will include the items set

forth in Section I.(C). of the Contingency

Plan for Lufkin Creosoting Company.

#### D. Other Requirements

- coordinator will take all resonable measures necessary to ensure that fires, explosions and releases do not occur, recur or spread to other hazardous waste at the facility.

  These measures will include, where applicable, stopping processes and operations, collecting and containing released waste, and removing or isolating containers.
- 2. If the facility stops operations in response to a fire, explosion or release, the emergency coordinator will monitor for leaks, pressure buildup, gas generation, or rupture in valves, pipes, or other equipment, wherever this is appropriate.

- 3. Immediately after an emergency, the emergency coordinator will provide for storing, processing or disposing of recovered waste, contaminated soil or surface water or any other material that results from a release, fire, or explosion at the facility.
- 4. The emergency coordinator will ensure that, in the affected area(s) of the facility:
  - a. No waste that may be incompatible with the released material is stored, processed or disposed of until cleanup procedures are completed; and
  - b. All emergency equipment listed in this plan is cleaned and fit for its intended use before operations are resumed.
- 5. The owner or operator will note in the operating record the time, date, and

details of any incident that requires implementing the contingency plan. Within 15 days after the incident, he will submit a written report on the incident to the Department. The report will include:

- a. Name, address and telephone number of the owner or operator;
- b. Name, address and telephone number of the facility;
- c. Date, time, and type of incident (e.g. fire, explosion);
- d. Name and quantity of material(s)
   involved;
- e. The extent of injuries, if any;
- f. An assessment of actual or potential hazards to human health or the environment, where this is applicable, and;

g. Estimated quantity and disposition of recovered material that resulted from the incident.

#### III. Required Equipment

The facility is equipped with the following:

- A. Steam whistle alarm.
- B. Telephone service capable of summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams;
- C. Portable fire extinguishers.
- D. Water at adequate volume and pressure to supply water hose streams.
- E. Two front end loaders (Cat 950) for spill control and damming.
- F. Personnel protective equipment
  - 1. All service canister masks
  - 2. Rubber gloves
  - 3. Chemical safety goggles
  - 4. Rubber safety suits
  - 5. Barrier cream

Note: All of the above equipment will be tested and maintained.

#### IV. Evacuation

Should an emergency situation be encountered where evacuation is necessary the Emergency Coordinator will be responsible for directing personnel.

Once the order is given, the evacuation should be in a quick orderly manner to avoid injury. The emergency coordinator shall search the area to determine that everyone has been evacuated.

#### EMERGENCY SITUATION

#### I. Spills

#### A. Possibilities:

- 1. Storage tank overfill or leak
- 2. Pipe rupture or leak
- 3. Pump leak
- 4. Recycling system leak

#### B. Actions

- 1. Immediately notify emergency coordinator.
- 2. Close valves to tanks being overfilled, if this can be accomplished without endangering the safety of personnel.
- 3. Shut down pumps.
- 4. Guard against sources of ignition.
- 5. Get fire equipment ready for use.

#### II. Fire

Should fire occur, the following actions are to be taken:

- 1. Activate steam whistle alarm.
- 2. Close valves and shut down pumps.
- 3. Extinguish with dry chemical fire extinguisher.

  (Note: Water may be ineffective.) All personnel shall be familiar with the location of fire extinguisher throughout the facility.
- 4. Follow orders of Emergency Coordinator.

#### EMERGENCY SITUATIONS (Continued)

#### III. Personal Injuries

In the event of personal injury of company personnel or outsider while on company property, the following procedures are applicable:

 Render first aid within limits of ability of personnel present.

#### Symptoms of Creosote Exposure:

Vapors cause moderate irritation of nose and throat. Liquid causes severe burning of eyes and reddening and itching of skin. Prolonged contact with skin can cause burns. Ingestion causes salivation, respiratory difficulties, thready pulse, vertigo, headache, loss of pupillary reflexes, hypothermis, cyanosis and mild convulsions.

#### Treatment for Exposure:

INHALATION - Remove victim to fresh air if he/she is not breathing, give artificial respiration.

If breathing is difficult, call ambulance.

EYES - Flush immediately with water for 15 minutes.

SKIN - Wipe with vegetable oil or margarine, then wash with soap and water.

INJECTION - Have victim drink water or milk:

DO NOT INDUCE VOMITING.

# EMERGENCY SITUATIONS (Continued)


- III. Personal Injuries (Continued)
  - 2. Immediately call emergency coordinator.


# EMERGENCY PROCEDURES MANUAL (Continued)

# Emergency Assistance List

Police	634-6611
<u>Fire</u>	634-3311
Ambulance	632-3030
Lufkin Memorial Hospital	634-8111 (Emergency)
Emergency Coordinator - Danny Vines	634-2478
Alternate - Larry Perry	632-7105

Emergency Equipment Types	Location and Physical Description	Outline of Capabilities
Fire, Extinguishers	20 lb. A,B,C dry chemical type. ( See facility layout for location)	For fires in ordinary combustible materials such as wood, cloth, paper, rubber and many plastics; fires in flammable liquids, gases and greases; fires which involve electrical equipment. Dry chemical forms non-conducting smothering film and prevents reflash.
		•
Spill Containment	Two (2) - "Cat 950" front end loaders. Located on-site.	For spill containment and damming. •
Safety suits, goggles, gloves and boots	Located in Control Room.	PVC material for protection against skin exposure to creosote.





File Punt I. 1.

Petromas Incorporated
Engineering & Construction Services
8237 Lockheed
Houston, Texas 77061 713-641-0691

Schattelaine 5/14/84.

Duplicate?

May 10, 1984

Ms. Pamela Phillips
U.S. Environmental Protection Agency
1201 Elm Street
Dallas, TX 75270

Dear Ms. Phillips:

Attached is an amendment to the Hazardous Waste Permit Application Part A, Form 3, for Lufkin Creosoting Company.

The listing of the process code T03 was an error we have just recently discovered.

This amendment corrects the error and we would appreciate your inclusion of the amended page in the original Form 3 of the application.

We sincerely regret the error and appreciate your understanding.

Very truly yours,

J. B. Roach, P.E.

President

JBR/jv/135

cc: Ms. Karen Macko

Mr. Danny Vines



## U.S. ENVIRONMENTAL PROTECTION AGENCY

		100			· · · ·			,,,,,		000	· ·			
T.	EP.	Αľ	n	NII	IM	ra ra	D.							
1.		- x		7.4.6	J 141	שנג	`~1				98.7			
Ş													1/^	č
C	m	X	תו	10 :	$\cap$	l R I	$\cap$	6	3	6	6	7		4
$\Gamma$		٠.	1	_				$\sim$			_			1
1	2					_						13	14	1

HAZARL IS WASTE PERM  Consolidated Permits F  ACRA (This information is required under Sc	. 11	TXD0080	6 3 6 6 1 1
FOR OFFICIAL USE ONLY			
APPRICATION DATE RECEIVED  APPROVED (yr, mo., & day)	COMMENTS		
23 24 - 20			
II. FIRST OR REVISED APPLICATION			
Place an "X" in the appropriate box in A or B below (mark one box only) to in evised application. If this is your first application and you already know your EPA I.D. Number in Item I above.	facility's EPA I.D. Number, or if the	lication you are submitting his is a revised application,	for your facility or a enter your facility's
A. FIRST APPLICATION (place an "X" below and provide the appropriat [X] 1. EXISTING FACILITY (See instructions for definition of "existing" Complete item below.)			OR NEW FACILITIES,
8 7 9 0 6 1 9 (use the boxes to the left)	RUCTION COMMENCED	YR. MO. DAY (YI	ROVIDE THE DATE r., mo., & day) OPERA- ON BEGAN OR IS KPECTED TO BEGIN
B. REVISED APPLICATION (place an "X" below and complete Item I at			
1. FACILITY HAS INTERIM STATUS		2. FACILITY HAS A RO	RA PERMIT
III. PROCESSES – CODES AND DESIGN CAPACITIES			
A. PROCESS CODE – Enter the code from the list of process codes below the entering codes. If more lines are needed, enter the code(s) in the space pro- describe the process (including its design capacity) in the space provided on	vided. If a process will be used that	used at the facility. Ten li t is not included in the list	nes are provided for of codes below, then
<ul> <li>B. PROCESS DESIGN CAPACITY — For each code entered in column A enternation of the enternation o</li></ul>		eura andes helow that dece	oriban the unit of
measure used. Only the units of measure that are listed below should be	e used.	ante codes peiow mar desc	arbes the drift of
PRO- APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS PROCESS CODE DESIGN CAPACITY	PROCESS	CESS MEASUR	RIATE UNITS OF IE FOR PROCESS IN CAPACITY
Storage:	Treatment:		Approximation of the second
CONTAINER (barrel, drum, etc.) SOL GALLONS OR LITERS TANK SO2 GALLONS OR LITERS WASTE PILE SO3 CUBIC YARDS OR	TANK SURFACE IMPOUNDMENT	LITERSPE	PER DAY OR

PROCESS		TE UNITS OF OR PROCESS CAPACITY	PROCESS	PRO- CESS CODE	APPROPRIATE U MEASURE FOR F DESIGN CAPA	ROCESS
Storage: CONTAINER (barrel, drum, etc.) TANK WASTE PILE SURFACE IMPOUNDMENT Disposal: INJECTION WELL LANDFILL  LAND APPLICATION OCEAN DISPOSAL SURFACE IMPOUNDMENT	SOI GALLONS OR SOZ GALLONS OR SOJ CUBIC YARD CUBIC METEI SO4 GALLONS OR D50 ACRE-FEET ( would cover or depth of one fi HECTARE-ME D51 ACRES OR HI D52 GALLONS OR LITERS PER 1 D53 GALLONS OR	LITERS SOR SIS LITERS LITERS the volume that the acre to a pot) OR TTER ECTARES R DAY OR DAY	Treatment: TANK SURFACE IMPOUNDMENT INCINERATOR  OTHER (Use for physical, chemithermal or biological treatment processes not occurring in tanks, surface impoundments or inciner ators. Describe the processes in the space provided; Item III-C.)		GALLONS PER DA LITERS PER DAY GALLONS PER DA LITERS PER DAY TONS PER HOUR METRIC TONS PER GALLONS PER HOU LITERS PER HOU GALLONS PER DA LITERS PER DAY	Y OR OR R HOUR; DUR OR R
UNIT OF MEASURE	UNIT OF MEASURE CODE L	JNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF M	EASURE	UNIT OF MEASURE CODE
GALLONS. LITERS CUBIC YARDS CUBIC YARDS CUBIC METERS GALLONS PER DAY EXAMPLE FOR COMPLETING IT	G L Y Y C (C	ITERS PER DAY TONS PER HOUR METRIC TONS PER HOUS ALLONS PER HOUD LITERS PER HOUR LUMBERS X-1 and X-2.1	HOUR. W R R H H H H H H H H H H H H H H H H H	ACRE-FEET HECTARE-F ACRES HECTARES	WETER.	A
other can hold 400 gallons. The fac	cility also has an inciner	ator that can burn up	to 20 gallons per hour.		-0.1. 331. 131d 200 gal	TOTA UTILI INC

1	2				13 14 15	-7		7		<u></u>	١			$\overline{}$		\	
0		. p	R	0-	B. PROCESS DESIGN CAPACI	ΤY		:					Œ	Α.	PR	· O-	B. PROCESS DESIGN CAPACITY
LINE	-1 5	roi	ove	E is t	(specify)	OF S	UF ent	er e)		FFI U ON	SE IL	A L Y	Lif	C (fr	ES OD om bou	S E list e)	1. AMOUNT 2. UNIT OF MEA SURE (enter code) ONLY
X-		٦-	٦,	2	600		G G	٦.	25			32	5	16		18	27 28 29 32
X-:	7	10	0	3	20		E						6				
	S		0	2	160,000		C						7				
2	T		0	1	164,000		C	,					8				
3	T	,	0	2	. 1.2		A						9				
4			$\perp$										10				
e de la compansión de l	-		-	18	1.3 Augustus and a superior and a su	UDSEN	28	uhe an	29	ATTICAL CONTRACTOR	na mana	32	L	16	*	. 68	19 27 28 29 - 32

PROCESSES (continued) SPACE FOR ADDITIONAL PROCESS CODES OR INCLUDE DESIGN CAPACITY.

? DESCRIBING OTHER PROCESSES (code

DESCRIPTION OF HAZARDOUS WASTES

EPA HAZARDOUS WASTE NUMBER - Enter the four-digit number from 40 CFR, Subpart D for each listed hazardous waste you will handle If you handle hazardous wastes which are not listed in 40 CFR, Subpart D, enter the four-digit number(s) from 40 CFR, Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.

ESTIMATED ANNUAL QUANTITY - For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.

UNIT OF MEASURE - For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE CODE	Ŕ
POUNDS.	KILOGRAMŞK	
TONS	METRIC TONS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste,

#### PROCESSES

- 1. PROCESS CODES:
  - For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in Item III to indicate how the waste will be stored, treated, and/or disposed of at the facility.
  - For non-listed hazardous wastes: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in Item III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.
  - Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).
- 2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

OTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by ore than one EPA Hazardous Waste Number shall be described on the form as follows:

- 1. Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B,C, and D by estimating the total annual
- quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.

  In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- Repeat step 2 for each other EPA Hazardous Waste Number that can be used to describe the hazardous waste.

XAMPLE FOR COMPLETING ITEM IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds ar year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes e corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 30 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

- 0 - 0 - 0	A. EPA HAZARD. WASTE NO (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C.UNIT OF MEA- SURE (enter code)	D. PROCESSES  1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
\-1	K 0 5 4	900			
(-2	$D \mid 0 \mid 0 \mid 2 \mid$	400	P	T 0 3 D 8 0	
₹-3	$D \mid 0 \mid 0 \mid 1 \mid$	, 100	P		
[-4	D 0 0 2			included with above	

Koren Mack

1700 N. Congress Avenue Austin, Texas

#### TEXAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman George W. McCleskey, Vice Chairman Glen E. Roney W. O. Bankston Lonnie A. "Bo" Pilgrim Louie Welch



TEXAS WATER COMMISSION

Felix McDonald, Chairman Lee B. M. Biggart G. Ralph Roming

RECEIVED

NUM SE 105

ENFURCE 4D
FIELD OPERATIONS

November 28, 1983

Mr. Danny Vines
Lufkin Creosoting Company
P. O. Box 1207
Lufkin, Texas 75901

Dear Mr. Vines:

Re: Solid Waste Registration No. 31832

On July 13, 1983, the staff of the Texas Department of Water Resources met with representatives of Lufkin Creosoting Company to discuss the closure of the oxidation pond at your facility. A July 28, 1983 letter from Mr. Robert G. Fleming, Director, Enforcement and Field Operations Division addressed to you required Lufkin Creosoting Company to submit a comprehensive proposal for the closure of the pond by September 30, 1983.

As of the date of this letter, the Texas Department of Water Resources has not received a proposal for the closure of the pond. Please submit this proposal or have your attorney contact Mr. Jimmy Alan Hall, Staff Attorney, Office of the General Counsel, at (512) 475-7851 immediately.

Sincerely yours,

Jimmy AYan Hall Staff Attorney

cc: Karen Macko, Enforcement and Field Operations Division TDWR District 6

### FACILITY CLOSURE PLAN

In order to close the Lufkin Creosoting Facility the following items will have to be decontaminated;

Registration 🗟

- 1) Make-up Water Tank
- 2) Creosote Working Tanks (2) .
- 3) Creosote Storage Tank
- 4) Process Water Recycling System
- 5) Blowdown Tank Systems
- 6) West Side Separator Tank
- Retorts

The closure will be done in such a manner as to eliminate post-closure escape of hazardous waste, or any hazardous waste constituent. All residual hazardous waste will be hauled and disposed of by a licensed hazardous waste facility (those not processed through the treatment plant). The closure will be observed and certified by a licensed Professional Engineer.

The facility will be closed in the following manner:

## I. DESCRIPTION OF CLOSURE

For closure purposes, it will be assumed that the facility has been stripped of all mechanical equipment. The pumps will be replaced so the facility can be restored to operating condition. Any liquid standing in the process water recycling system and those generated in the decontamination of the mechanical processing equipment will be processed through the facility.

Creosote inventory will be sold and waste sludge will be removed from the creosote working tanks and retorts. After

removal of sludge, all tanks and systems will be washed down (steamed) to remove any remaining hazardous waste constituents. All piping will be flushed and the generated liquid processed through the process water recycling system and the make-up water tank. Finally, sludge in the make-up water tank will be shipped for land disposal and this tank will also be steamed. The aqueous solutions will be sent to a deep-well disposal site. Once the facility decontamination has been completed, the machinery used to handle waste residues will be washed and steamed on a slab. All washwater will be hauled off site and deep-well injected.

## II. WASTE INVENTORY AND DECONTAMINATION PROCESS

### A. CREOSOTE WORKING TANKS (2)

Remove sludge and dispose off site:

Volume = 2(25 cy) = 50 cy

Cost removal, transportation and disposal: (\$70/cy) = \$3,500

#### B. CREOSOTE STORAGE TANK

Remove sludge and dispose off site:

Volume = 12 cy

Cost removal, transportation and disposal: (\$70/cy) = \$840

## C. PROCESS WATER RECYCLING SYSTEM

1) Remove liquid and boil off in make-up water tank:
 Volume = 95,000 GAL

Cost removal, transportation and disposal: (\$0.042 GAL) = \$3,990

2) Assume 6" of sludge on bottom:

Volume = 30 cy

Cost removal, transportation and disposal: (\$70/cy) = \$2,100

Sub Cost = \$6,090

#### D. RETORTS

Assume 4" sludge in bottom:

Volume = 10 cy

Cost removal, transportation and disposal: (\$70/cy) = \$700

## E. SEPARATOR TANK AND BLOWDOWN SYSTEM

1) Remove liquid and evaporate in make-up water tank
 Volume = 7,000 GAL

Cost removal, transportation and disposal: (\$0.042 GAL) = \$ 295

2) Remove sludge and dispose off site:

Volume = 3 cy

Cost removal, transportation and disposal: (\$70/cy) = \$ 210

Sub Cost = \$ 505

#### F. WASHWATER

All tanks, concrete pits and basins will be washed down to remove any remaining hazardous waste constituents. All pipes, sumps and concrete slab areas will also be flushed with this washwater. The construction equipment utilized will be decontaminated. The washwater will be evaporated.

Volume - 50,000 GAL

Cost removal, transportation and disposal: \$0.042/GAL) = \$2,100

## G. MAKE-UP WATER TANK

Pemove liquid and deep-well inject off site:

Volume = 5,000 GAL (38,000 GAL balance to be evaporated)

Cost removal, transportation and disposal: (\$0.20/GAL) = \$1,000

Cost to evaporate = \$1,600

2) Remove sludge and dispose off site:

Volume = 23 cy

Cost removal, transportation and disposal: (\$70/cy) = \$1,610

Sub Cost = \$4,210

#### H. RENTAL OF PUMPS

Cost = \$1,500

#### I. LAB COSTS

10 at \$500 ea. = \$5,000

## J. LABOR AND SUPERVISION

- 1) Average cost labor (including overhead) = \$6.50/hr. \$6.50/hr. x 400 man hours = \$2,600
- 2) Professional engineer will periodically have to supervise closure and certify the same:

20 hrs./week x 3 weeks = 60 hrs.

Report and certification = 20 hrs.

80 hrs. x \$35/hr. = 2,800

Sub Cost = \$5,400

#### K. TOTAL

A. B. C. D. E. G. H. I.	Creosote working tanks (2) Creosote storage tank Process water recycling system Retorts Separator tanks and blowdown system Washwater Make-up water tank Pump rentals Lab costs Labor and supervision	\$ 3,500 \$ 840 \$ 6,090 \$ 700 \$ 505 \$ 2,500 \$ 3,210 \$ 1,500 \$ 5,000 \$ 5,400
	Sub Total	\$29,845
	5% Contingency	\$ 1,492
٠	Total	\$31,337

## III. SCHEDULE OF CLOSURE

There are no plans to close the facility since in normal maintenance of the equipment, it will last indefinitely. In the event of business economic concerns forcing closure of the facility, notice will be given to the TDWR 90 days before beginning closure.

#### IV. CERTIFICATION OF CLOSURE

At completion of closure, Lufkin Creosoting Company will submit to the Executive Director a signed certification that the facility has been closed in accordance with the specification in the approved closure plan.

That certification will be signed by a Lufkin Creosoting Company representative, and also by an independent registered professional engineer.

### V. POST-CLOSURE PLAN

Since Lufkin Creosoting Company plans to remove all hazardous waste during closure, there will be no hazardous wastes remaining on site at completion of closure operations. At this point in time, the facility will no longer be subject to the requirements for post-closure care.